

*Collection No. 193*

*V. Balderson*



**OLYMPIC**

*Bundaberg area*

**GLAMIS**

*1-4-VIII-1977*

*Flexiflat*

# **GOODS DELIVERY BOOK**

(RECEIVED FROM)

**100 Leaves in Duplicate**

**NUMBERED**

*Flexiflat* books are thermo-plastic bound

1/8

32546.2 B'berg Police Station;  
followed 5th. road

547.4 turned out

547.9 turned lt

548.2 Queens Park on bank of  
Quindarra R.; open woodland, mown  
grass; mixed smoothbark,  
bloodwood, ironbark; *Cinifina*  
on smooth barks; SITE 1

returned onto Hwy. 5.

551.6 turned lt. into airport

552.0 mixed dry sclerophyll  
forest, smooth & iron barks; some  
<sup>McAlpine</sup> lower *Acacia*, *Flindersia*, *Casuarina*,  
*kunai* & other mixed grasses.  
*Cinifina* mainly on *Flindersia*,  
but a few on *McAlpine* &  
smooth barks; none on  
stringy & iron bark SITE 2  
return

552.4 - 551.6 turned rt.

556.0 - 546.2 contd. thro' main st.  
of B'berg.

557.6 turned rt

560.6 Baldwin Swamp SITE 3  
mixed low fresh water swamp  
forest; melaleuca, acacias, etc.  
20' old emergent ecos. Cynfra  
on Acacia with similar trash  
+ bank to Flindleria at  
previous stop

2/8

5.79.9 B'berg. Pol. Sta.

5.84.1 Airport turn - off

600.9 turned rt. off Hwy

602.9 turn off to rt.

605.5 Pine Creek

606.0 turned off to lt. (Pine Creek)  
walked ca. 7 km SW along

foresty tracks along ridge top.  
mainly thin soils, some small  
areas of broken sandstone.

Dry sclerophyll <sup>forest</sup> with some  
variation in species composition,  
discontinuous canopy. All

tall trees eucalypts: iron  
barks, stringbarks, "blue gum",  
bloodwoods. Understorey:

Acacia spp., Sackersonia sp.  
Casuarina sp., Flindersia sp.  
Sparse shrub layer, short  
grasses. Cudfira or Acacia  
Flindersia, smooth bark euc,  
Casuarina; no apparent sp.  
preference but mainly 1 1/2 to 4  
diameter; always vertical  
stems only.

3/8

6.52.1 B'berg Police Station

6.66.4 Airport turn-off

673.0 = 600.9

673.3 turned rt.

679.3 turn off rt. to abandon farm

680.0 left car & walked west  
ca. 1 km to Pine Cr. ~~point~~ (SITE 4)Continued (SITE 5) W. to WNW ca. 1.5  
km to clearing; ~~walked~~ thenturned N for ca.  $\frac{1}{2}$  km (SITE 6)Returned along forestry track to  
crossing of Pine Cr.SITE 4: large abandoned farm;  
much regrowth, partic. *Acacia*  
sp. (Hickory Wattle); scattered  
tall smoothbarks, odd stringbark  
*Callitris* on acacia saplings.SITE 5: dry sclerophyll forest,  
some areas of abandoned

grassland with regrowth  
of same *Acacia* & smoothbark  
sapling; more stringybark;  
odd ironbark; dried up tort  
grasses. *Culcinea* again mainly  
on *Acacia*

SITE 6: end of transect;  
essentially similar to SITE 5.  
deeper soils, better grass, more  
open forest.

4/8

726.1 = 406.0 of 2/8 (Electra)

Walked ca. 1 km SSW along  
track of 2/8. Turned S + SE for ca 1½  
km (SITE 7) along spur towards  
Pine Cr. through similar ridge  
country to 2/8. Hit low *de paupere*  
rainforest ca. ¼ km before Pine  
Cr. + ca. ¼ km SSW, along Pine Cr.  
(SITE 8)



Continued SSW through open grass  
land (old farm land) - on into  
open dry sclerophyll forest (51th 9)  
very similar to Site 6 of 2/8